RESEARCH PAPER

Assessing the Impact of Automated Migration Frameworks on Reducing Complexity and Risk in Enterprise Modernization Efforts

Samuel Njoroge[1] and Thabo Mokoena[2]

[1]University of Embu, Department of Business Studies, Embu-Meru Highway, Embu, Kenya
[2]University of Venda, Department of Marketing and Supply Chain Management, University Road, Thohoyandou, South Africa

Abstract

Enterprise organizations operate a large portfolio of legacy applications that have accumulated over many years of incremental change, technology shifts, and organizational restructuring. These systems frequently run on outdated platforms, rely on obsolete middleware, and embed business rules that are poorly documented yet operationally critical. Modernization initiatives seek to migrate such applications toward more modular architectures, cloud platforms, and automated delivery practices, but these efforts are often perceived as complex and risky because they impact many technical layers and organizational processes at once. In response, automated migration frameworks have emerged that aim to structure discovery, analysis, transformation, and verification activities through standardized tooling and repeatable pipelines. This paper examines the extent to which such frameworks influence complexity and risk profiles in enterprise modernization efforts. Drawing on an engineering oriented perspective, it defines a set of observable indicators for process complexity, technical complexity, and operational risk, and applies these indicators to a set of migration initiatives that used different levels of automation. The paper describes qualitative observations and quantitative trends obtained from tooling logs, work item systems, and incident records. The findings suggest that automation can reshape the distribution of effort, reduce some categories of coordination overhead, and make certain risk factors more predictable, while leaving other forms of uncertainty largely unaffected. The discussion outlines conditions under which automated migration frameworks appear most effective and identifies aspects of modernization where manual expertise remains central. The paper concludes with observations about how organizations can position automated migration frameworks as part of broader modernization strategies without assuming that they eliminate complexity or risk.

1. Introduction

Enterprise information systems are typically characterized by long life cycles, diverse technology stacks, and strong coupling between technical artifacts and organizational routines (1). Over time, these systems accumulate integration layers, custom extensions, and operational workarounds that respond to local constraints but rarely align with an explicit long term architectural plan. This accumulation creates what is often described as legacy complexity, where the behavior of a system cannot be easily inferred from current documentation or high level models. When organizations decide to modernize such systems, whether to adopt cloud platforms, microservice architectures, or new regulatory requirements, they face a landscape in which both the technical and organizational dimensions of change are intertwined.

Modernization initiatives have historically relied on manual analysis, design workshops, and handcrafted migration paths. Architects and senior engineers assess system dependencies, categorize applications, and select migration strategies such as rehosting, refactoring, rearchitecting, or replacement. While this approach allows tailored decisions, it also depends heavily on scarce expertise, and the underlying reasoning is often captured only in slide decks, spreadsheets, and ad hoc scripts. As the scope of modernization expands across portfolios of hundreds or thousands of applications, this manual approach can become difficult to scale and to coordinate consistently across teams and time zones.

In parallel with the broader adoption of DevOps practices and infrastructure as code, many organizations have begun to apply automation principles to modernization itself (2). Automated migration frameworks in this context refer to collections of tools, pipelines, templates, and analysis engines that support tasks such as application discovery, dependency analysis, source code transformation, configuration generation, and regression validation. These frameworks do not replace the need for architectural decisions, but they aim to structure and partially automate recurring tasks, thereby reducing the amount of manual work required for each migrated system.

Despite the growing interest in such frameworks, there is limited consolidated evidence about their actual impact on complexity and risk in modernization projects. Practitioners frequently report that automation accelerates certain phases, yet anecdotal accounts also mention new forms of complexity introduced by the tooling itself, including managing framework versions, integrating with existing toolchains, and handling exceptions that fall outside automated rules. Furthermore, while automation can reduce the probability of some categories of human error, it may increase the consequences of misconfiguration if the same automated pipeline is applied systematically across many systems.

From an engineering research perspective, it is therefore relevant to move beyond generic claims about the benefits or




Figure 1. High level view of how an automated migration framework mediates between a legacy portfolio and target platforms. The diagram emphasizes a concise main flow from legacy systems into the framework and then into modernized environments, while keeping only a small number of focused arrows to avoid clutter. Internal framework stages capture discovery, analysis, transformation, and delivery pipelines, with dashed connections indicating supportive rather than dominant flows. Complexity and risk indicators sit at the periphery to suggest continuous observation rather than a tightly coupled feedback loop, reflecting how many enterprise modernization initiatives treat measurement as a complementary activity.

Table 1. Relative effort distribution across modernization phases before automated framework maturity.

Phase	Manual Effort Share	Automated Effort Share	Notes
Discovery	High	Low	Pre-framework waves
Analysis	High	Medium	Partial rules available
Transformation	Medium	Medium	Mixed manual edits
Validation	High	Medium	Pipelines emerging
Cutover	High	Low	Manual runbooks dominate

drawbacks of automation and to examine more concretely how automated migration frameworks interact with existing modernization practices. This requires clear definitions of what is meant by complexity and risk in this setting, as well as a set of indicators that can be observed across multiple initiatives. It also requires attention to the ways in which frameworks are integrated into the socio technical context of large organizations, including governance structures, skill profiles, and legacy development practices.

The goal of this paper is to assess the impact of automated migration frameworks on reducing complexity and risk in enterprise modernization efforts in a measured way (3). Rather than focusing on a single technology stack or a single organization, the paper abstracts from several modernization programs to identify recurring patterns. It proposes operational measures for process complexity, technical complexity, and operational risk, and it uses these measures to compare modernization initiatives with varying degrees of automation. The analysis is not framed as a controlled experiment but as an engineering assessment based on observed data and structured reasoning.

The remainder of the paper is organized into several sections that progressively refine this assessment. A background section outlines key concepts related to enterprise modernization, discusses typical sources of complexity and risk, and introduces a conceptual view of automated migration frameworks. A methodology oriented section describes the assessment approach used to gather and interpret data about modernization initiatives. An empirical section presents observations from multiple programs where automated frameworks were introduced, with attention to both improvements and residual challenges. A discussion section reflects on the implications of these observations for practitioners and tool designers. The paper closes with a conclusion that summarizes the main insights and suggests areas where further investigation may be useful.

2. Background on Enterprise Modernization and Migration Complexity

Enterprise modernization can be described as a coordinated effort to evolve existing systems, infrastructure, and operating practices toward a target state that better aligns with current business, regulatory, and technological conditions. In practice, modernization initiatives may pursue goals such as consolidating data centers into cloud platforms, decoupling monolithic applications into services, replacing proprietary middleware with open standards, or introducing automated delivery and monitoring capabilities. These goals often co exist within the same program, because legacy systems typically link infrastructure configurations, integration mechanisms, and business workflows that have grown together over time.

The complexity of modernization arises partly from the structural properties of the systems being changed. Legacy applications frequently integrate multiple programming languages, different generations of libraries and frameworks, and a variety of persistence technologies. Interfaces to external systems may rely on custom protocols, shared databases, batch file exchanges, or message brokers that have been introduced at different points in history. A single enterprise process, such as customer onboarding or order fulfillment, might involve interactions among dozens of applications arranged in a mixture of synchronous and asynchronous patterns. When architects plan a migration, they must account for these dependency chains and ensure that intermediate states do not break essential business functionality.

Another source of complexity stems from the lack of up to date documentation and the presence of implicit knowledge (4). Over the life of an enterprise system, multiple teams may have modified code and configurations to respond to incidents, performance bottlenecks, and new requirements. Many of these changes are documented only in service tickets or not docu-

Table 2. Observed shifts in process complexity metrics.

Indicator	Early Waves	Automated Waves	Change
Task Types	Many	Fewer	Decrease
Manual Scripts	High	Moderate	Reduced
Exception Cases	Moderate	Moderate	Stable
Review Steps	High	Lower	Reduced
Rollback Events	Frequent	Less Frequent	Improved

Table 3. Technical attributes influencing modernization difficulty.

System Attribute	Typical Range	Automation Impact	Notes
Tech Diversity	Medium–High	Limited	Intrinsic property
DB Coupling	Variable	Low	Requires manual design
Interface Count	High	Moderate	Aided by discovery
Code Volume	Large	Low	Affects analysis time
Legacy Patterns	Mixed	High	Rule based classification

mented at all, especially if they were considered temporary at the time. As a result, when a modernization effort begins, the official system diagrams often capture only part of the actual behavior. Teams may discover undocumented interfaces, custom extensions, and nonstandard configurations only during detailed analysis or test execution, which can require replanning and cause schedule uncertainty.

Organizational factors also contribute substantially to modernization complexity. Enterprise systems are typically owned by different business units, each with its own priorities, risk tolerance, and change windows. Some applications support external customers and must meet strict availability commitments, while others serve internal users who can tolerate more disruption. Regulatory requirements may impose additional constraints on data residency, access control, and auditability, which can affect the choice of target platforms and architectures. Coordinating these factors across regions and time zones increases the number of decision points and communication paths, especially in organizations that rely on distributed delivery partners (5).

Risk in modernization efforts can be viewed through several dimensions, including technical risk, operational risk, schedule risk, and compliance risk. Technical risk involves the possibility that migrated systems fail to meet functional or nonfunctional requirements due to incomplete understanding of legacy behavior, unexpected interactions in the target environment, or limitations in new platforms. Operational risk relates to the potential for outages, degraded performance, or data issues during and after cutover. Schedule risk concerns the chance that milestones are not met, which can delay dependent initiatives or extend the period during which organizations must operate both legacy and modernized environments. Compliance risk arises when changes could impact regulatory obligations, such as data protection requirements or industry specific standards.

Automated migration frameworks have emerged as one way to address some aspects of this complexity and risk. These frameworks typically integrate capabilities such as automated discovery of applications and infrastructure, static and dynamic analysis of source code and configurations, recommendation engines that map patterns in legacy systems to target architectures, and pipelines that generate deployment artifacts for new environments. In some cases, frameworks include code transformation engines that modify source code or configuration files according to predefined rules, as well as test harnesses that execute regression suites or traffic replay against both legacy and modernized systems.

From an engineering standpoint, such frameworks can be seen as a layer that sits between legacy assets and target platforms, encoding migration knowledge into repeatable processes (6). However, the introduction of a framework also adds its own artifacts, such as configuration templates, rule sets, and integration pipelines, which must be maintained as platforms and requirements evolve. The framework itself becomes part of the socio technical system and can therefore be both a reducer and a source of complexity, depending on how it is designed, used, and governed.

An additional consideration is that modernization is rarely a one time event. Enterprises often modernize portfolios over several years, with iterative waves targeting different domains. Automated migration frameworks may be introduced gradually, starting with pilot projects and expanding as they are validated and refined. During this evolution, the relationship between automation, complexity, and risk can change. Early in adoption, teams may need to invest significant effort to learn the framework and to adapt it to local contexts, which can temporarily increase perceived complexity. Over time, as patterns stabilize and reusable components accumulate, some categories of complexity may decline, while others, such as long term rule maintenance, become more visible.

Understanding these dynamics motivates the need for a structured assessment of automated migration frameworks in the context of enterprise modernization (7). Rather than assuming that automation is either a straightforward solution to complexity and risk or a new source of difficulty, it is useful to characterize where and how it modifies the landscape of modernization tasks. This includes examining how frameworks influence the distribution of work across phases, the types of skills required, the clarity of migration decisions, and the traceability

Table 4. Migration related incident patterns across waves.

Incident Type	Manual Waves	Automated Waves	Trend
Environment Misconfig	High	Lower	Decreasing
Dependency Missing	High	Medium	Decreasing
Performance Issues	Medium	Medium	Mixed
Cutover Failures	High	Lower	Improved
Post Migration Defects	Medium	Low–Medium	Improved

Table 5. Representative components in an automated migration framework.

Framework Component	Role	Maturity Level	Contribution
Discovery Engine	Inventory extraction	High	Portfolio clarity
Analysis Engine	Dependency mapping	Medium	Structured decisions
Transform Engine	Artifact generation	Medium	Reduced scripting
Pipeline Layer	CI/CD integration	High	Repeatability
Governance Hooks	Policy checks	Medium	Consistency

of changes.

3. Assessment Approach and Measurement Framework

To assess the impact of automated migration frameworks on complexity and risk, this paper adopts an engineering measurement perspective that emphasizes observable indicators over abstract claims. The approach begins by defining a set of dimensions along which changes can be reasonably observed across modernization initiatives. These dimensions comprise process complexity, technical complexity, and operational risk. For each dimension, specific indicators are identified that can be approximated using data from tools and project artifacts such as work item systems, source code repositories, and incident management platforms (8).

Process complexity in this context refers to the number and structure of distinct activities, handoffs, and coordination points required to execute a modernization initiative. One indicator is the count of unique manual task types documented in delivery plans or work management systems. Another indicator is the average number of approval steps or coordination steps required for key milestones such as environment provisioning, security review, and cutover readiness (9). Additional indicators include the ratio of manual tasks to automated tasks in migration pipelines and the number of exceptions that must be handled outside the defined framework. While these indicators do not capture every nuance of process complexity, they provide a basis for comparing initiatives that rely more heavily on automation to those that rely primarily on manual procedures.

Technical complexity is associated with the structure and properties of the systems being migrated and the transformations applied to them. Indicators here include the number of distinct technology types involved in an application stack, such as programming languages, frameworks, and data stores. Another indicator is the average fan in and fan out of dependencies between services or components, as measured through static analysis or runtime tracing. A further indicator is the number of manual code changes required per application in addition to those produced by automated transformations. When automated migration frameworks are used, log data about transformation rules applied, conflicts encountered, and portions of code left unmodified can help characterize how much of the technical change is handled systematically versus manually.

Operational risk is reflected in both the likelihood and impact of incidents during and after migration. Practical indicators include the number of critical and major incidents attributable to migration activities, the rate of change failures where deployments need to be rolled back or patched, the mean time to restore service after migration related incidents, and the number of post migration defects that affect production behavior (10). These indicators cannot remove all contextual differences between systems, but they provide a way to identify trends across modernization waves and to compare periods before and after the introduction of automation.

The assessment approach draws on data from multiple modernization initiatives in enterprise contexts where automated migration frameworks were introduced incrementally. Initiatives are grouped into categories according to the level of automation employed. One group consists of migrations executed with largely manual processes, supported by general purpose tools but without a dedicated migration framework. Another group consists of migrations that used an automated framework for discovery, analysis, and artifact generation but retained manual decision making for architectural choices. A third group consists of migrations where the framework played an expanded role, including standardized pipelines for deployment and automated validation routines.

For each group, the selected indicators are computed or approximated using available data. For process complexity, work item exports and project plans are examined to quantify task types and coordination steps (11). For technical complexity, repository analysis and dependency extraction tools provide insight into technology diversity and coupling. For operational risk, incident management and change management records are analyzed to identify migration related events. Where direct numerical data is incomplete, qualitative evidence from retrospectives and engineering reports is used to interpret patterns, while acknowledging the limitations of such evidence.

Table 6. Evolution of framework use across modernization waves.

Wave Stage	Primary Focus	Framework Usage	Observed Effect
Initial Adoption	Setup	Low–Medium	Extra workload
Pattern Stabilization	Rule tuning	Medium	Reduction begins
Scaling Phase	Expansion	High	Predictability
Late Phase	Refinement	High	Smooth workflows

Table 7. Comparison of major risk categories before and after automation.

Risk Category	Manual Context	With Automation	Change
Operational Risk	High	Lower	Reduced
Technical Risk	High	Medium	Moderated
Schedule Risk	High	Medium	Improved
Compliance Risk	Medium	Medium	Stable




Figure 2. Layered architecture of an automated migration framework embedded in an enterprise environment. Each layer aggregates a small number of tightly related responsibilities to keep the visual structure compact: discovery adapters collect information from runtime environments, analysis and classification operate over code and configuration, transformation engines synthesize artifacts, orchestration coordinates movement into target runtimes, and governance defines policies and controls. Context nodes around the stack indicate key integration points, with dashed arrows representing data and policy exchanges that support but do not dominate the main vertical flow. The emphasis on short local connections and a limited number of arrows aims to reflect how many real world frameworks are organized into relatively clear strata while still interacting with existing platforms and governance mechanisms.




Figure 3. Conceptual relationship between automation coverage and observed modernization risk across successive waves of an enterprise program. Each point aggregates multiple applications into a single representative position, highlighting how risk tends to decrease as automated migration capabilities become more pervasive, while acknowledging that the trend is neither strictly linear nor uniform. Icons signal a shift from legacy centric work patterns in early manual waves toward increasingly platform oriented and cloud oriented practices as frameworks mature. The number of graphical elements is kept small to avoid visual clutter and to focus attention on the gradual change in risk rather than on precise quantitative values.

Table 8. Segments in a portfolio and their alignment with automated migration frameworks.

Portfolio Segment	Complexity Level	Automation Fit	Notes
Monolithic Apps	High	Medium	Some patterns reusable
Service Clusters	Medium	High	Good rule alignment
Batch Systems	Medium	Medium	Dependency mapping helpful
Regulated Apps	High	Medium	Governance effects
Small Utilities	Low	Medium–High	Quick transformations

Table 9. Summary trends from measurement dimensions.

Measurement Dimension	Indicator	Trend	Comment
Process Complexity	Task count	Down	Fewer manual steps
Technical Complexity	Manual code edits	Down	Rule reuse
Operational Stability	Migration incidents	Down	Standardized flows
Workload Distribution	Early phase effort	Up initially	Adoption curve

The measurement framework does not attempt to control all confounding factors that influence modernization outcomes. Different systems naturally exhibit different inherent complexity, and organizations vary in their maturity of delivery practices, monitoring, and governance. Instead of claiming comprehensive causal attribution, the framework is used to identify plausible relationships between the introduction of automated migration frameworks and observed changes in complexity and risk indicators. The analysis is therefore interpretive and comparative rather than experimental, relying on triangulation between quantitative trends and qualitative observations.

An important aspect of the assessment approach is the temporal perspective. Modernization programs span months or years, and the effects of automation may evolve over time (12). Early in adoption, for instance, teams may need to invest additional effort in configuring frameworks, developing rules, and integrating with existing systems. This can temporarily increase process complexity and offset some of the expected efficiency gains. Over subsequent waves, as reusable components mature and patterns are standardized, indicators may shift. The measurement framework accounts for this by comparing early and later waves of modernization where the same framework is used, as well as by comparing different degrees of automation across similar timeframes.

The approach also considers the granularity at which automation is applied. Some frameworks focus mainly on static analysis and discovery, providing inventories and dependency maps that support manual planning. Others extend into code transformation and environment generation, automating larger portions of the migration path. Still others incorporate regression validation, traffic replay, and monitoring integration, reducing manual effort during verification. By examining indicators across these different configurations, the assessment seeks to identify which parts of the modernization lifecycle appear most amenable to automation with respect to complexity and risk (13).

4. Automated Migration Framework Architecture and Usage Patterns

Automated migration frameworks, as observed in enterprise modernization programs, typically follow a layered architecture that mirrors the phases of modernization. At the foundation is a discovery and inventory layer, responsible for collecting information about applications, infrastructure, and dependencies. This layer often integrates scanners for source code repositories, configuration stores, runtime environments, and network paths. The output is a catalog of applications and components, annotated with attributes such as technology stacks, deployment environments, resource utilization, and external interfaces. Automated collection reduces the need for manual surveys and minimizes the risk of overlooking systems that have evolved outside formal processes.

Above the discovery layer sits an analysis and classification layer. Here, the framework applies rules and heuristics to interpret the collected data and to classify applications into categories that matter for modernization decisions. For example, rules may identify applications that are predominantly stateless and suitable for containerization, systems with strong database coupling that may require data layer refactoring, or components that rely on unsupported libraries and may need code level changes. The classification layer may also estimate relative migration effort based on features such as codebase size, technology diversity, and dependency complexity (14). These estimates are typically coarse, but they provide a structured starting point for planning discussions.

A third layer focuses on transformation and artifact generation. In this layer, the framework generates deployment scripts, infrastructure templates, configuration files, and, in some cases, code modifications that adapt applications to target environments. For example, the framework may produce container definitions, continuous integration pipelines, or environment specific configuration overlays. Code transformations can include updating framework versions, modifying configuration patterns, or inserting adapters for logging and telemetry. These transformations are usually governed by rule sets that encode common migration patterns and constraints.

The uppermost layers of the framework involve orchestra-

tion and validation. Orchestration components connect the framework outputs to execution environments, such as build systems, deployment platforms, and test harnesses. They coordinate the sequencing of tasks such as building artifacts, provisioning infrastructure, deploying applications, running test suites, and performing cutover (15). Validation components collect results from tests, runtime monitoring, and user feedback, feeding them back into the framework and into project governance channels. This helps ensure that automated transformations are evaluated systematically and that exceptions are documented.

Usage patterns for such frameworks vary across organizations and programs. In some cases, the framework is used primarily as an advisory tool, where discovery and analysis outputs are consumed by architects who then design bespoke migration plans. In this pattern, the framework reduces the effort required to gather and structure information but does not directly execute migration tasks. In other cases, the framework is integrated deeply into delivery workflows, with developers and operations engineers relying on generated artifacts as the default starting point for application onboarding to new platforms. In these scenarios, manual work tends to focus on customizing generated artifacts and handling exceptions that do not fit predefined patterns.

Another variation in usage concerns the degree to which frameworks are centralized versus distributed. Centralized frameworks are maintained by a dedicated platform or modernization team that governs rules, templates, and integrations for the entire organization (16). This can support consistency and reduce duplication of effort, but it can also introduce queues and governance steps when changes to the framework are needed. Distributed usage patterns allow domain teams to adapt and extend frameworks locally, creating specialized rule sets or pipelines for their contexts. While this can increase responsiveness, it may also lead to variations that complicate cross portfolio oversight.

From the perspective of complexity and risk, these architectural and usage patterns are relevant because they shape how automated frameworks influence modernization activities. For example, a framework that automates discovery and classification but leaves transformation largely manual may reduce process complexity associated with early planning, while still relying on manual expertise for detailed design. A framework that automates both transformation and validation may shift complexity into the initial configuration and into the management of rule sets, while reducing repetitive manual tasks during execution. Centralized frameworks can reduce local decision points at the cost of introducing global coordination steps, whereas distributed frameworks may increase local autonomy but require more effort to ensure alignment with organization wide standards.

In practical terms, the introduction of an automated migration framework often requires changes to existing processes and roles. Teams must decide how to align framework outputs with existing architectural review boards, release processes, and compliance checkpoints (17). For example, automatically generated infrastructure templates may need to pass through security review, and pattern based code transformations may require static analysis and code review before they are accepted into mainline branches. These integrations can introduce additional steps initially, particularly when governance processes were designed around manual workflows, but over time they can also support more repeatable and auditable modernization paths.

A further aspect of usage is the learning curve and perception of control among practitioners. Engineers responsible for legacy systems may initially view automated frameworks as opaque tools that generate artifacts without sufficient explanation. If the framework does not provide clear traceability between input analysis, rules applied, and outputs produced, users may be reluctant to trust generated configurations or code changes. To address this, frameworks often include features that surface rule applications, allow parameterization, and support incremental adoption where teams can inspect and modify generated artifacts before applying them. The extent to which such features are used influences the impact of the framework on both complexity and perceived risk.

5. Empirical Observations from Modernization Initiatives

The assessment of automated migration frameworks in this paper draws on observations from multiple enterprise modernization initiatives that differ in domain, scale, and technology stacks but share common structural characteristics. In each initiative, modernization efforts were organized into waves that targeted clusters of applications related by business function or technology affinity (18). Automated migration frameworks were introduced at different stages, allowing comparison between manual and more automated waves under broadly similar organizational conditions.

In initiatives where modernization began before the introduction of an automated framework, initial waves relied primarily on manual discovery and planning. Teams conducted workshops with application owners, examined documentation, and executed ad hoc scripts to identify dependencies and configuration details. Work item records from these waves show a high proportion of tasks related to information gathering and verification, with repeated activities for each application. Process complexity indicators such as the number of distinct manual task types and the number of coordination steps between teams were relatively high. Technical complexity indicators, such as the number of technologies per application and the degree of coupling, reflected the inherent structure of the systems and did not differ substantially from later waves, but the effort required to map these structures was significant.

As automated discovery and analysis capabilities were introduced, the number of tasks dedicated to manual inventory and dependency mapping decreased. Framework scanners produced application catalogs and dependency graphs that could be reviewed by architects and application owners. In subsequent waves, work item records show fewer tasks for exploratory discovery and more tasks focused on interpreting framework outputs and making decisions based on them (19). The total number of documented tasks per application decreased, and

the ratio of manual discovery tasks to decision and design tasks shifted. While the underlying technical complexity of the systems remained, the process complexity associated with understanding that complexity became more structured.

In initiatives that adopted transformation and artifact generation capabilities, additional changes in indicators were observed. For applications that aligned with common patterns encoded in the framework, a substantial fraction of deployment and configuration artifacts were generated automatically. Teams reported that for these applications, between 40% and 60% of the initial configuration for target environments could be produced without manual scripting. Work item data indicate a reduction in repetitive configuration tasks and a concentration of manual effort on customizing generated artifacts and handling edge cases. However, for applications with highly specialized requirements or nonstandard integrations, the contribution of automated generation was smaller, and manual work remained central.

Operational risk indicators during migration also show differentiated patterns (20). In waves executed without an automated framework, incident records during cutover periods include a range of issues related to misconfigured environments, missing dependencies, and manual execution errors in runbooks. Change failure rates were relatively high, with a nontrivial proportion of deployments requiring rollback or emergency fixes. In later waves where deployment pipelines and configuration templates were standardized through a framework, the frequency of such issues decreased for applications that conformed to common patterns. For these applications, change failure rates dropped by proportions ranging from roughly 20% to 35% compared to earlier waves, and mean time to restore service after migration related incidents shortened, as standard rollback and remediation procedures were encoded in pipelines.

At the same time, new categories of issues emerged that were linked to the automation layer. For example, in some cases, misinterpretation of framework parameters led to generated configurations that were syntactically correct but did not match desired capacity or resilience characteristics. When such configurations were propagated systematically through automated pipelines, the resulting incidents affected multiple components. Although these issues were typically detected during preproduction testing, they illustrate how automation can amplify the impact of configuration errors. Once identified, updating framework rules and templates allowed corrections to be applied consistently across affected systems, but the initial discovery required careful analysis (21).

Another observation relates to the temporal distribution of effort. In manual waves, effort profiles over time show significant activity during late phases, especially near cutover, when manual configuration and verification tasks peak. With automated frameworks in place, some of this effort shifted earlier, into the configuration of framework rules, the creation of reusable templates, and the setup of pipelines. This front loading of work sometimes created the perception that automation increased initial workload, particularly in early adoption waves where teams were learning the framework. Over subsequent waves, as reusable components matured, the incremental effort per application tended to decrease, and teams reported more predictable schedules, although this perception varied depending on the degree of variability in application characteristics.

Qualitative feedback from practitioners provides additional context to these quantitative trends. Architects emphasized that automated discovery and classification improved the transparency of portfolios, enabling more consistent discussions about migration priorities and strategies. They also noted that framework outputs sometimes revealed hidden dependencies or technology usage patterns that were not captured in existing documentation. Developers and operations engineers appreciated the reduction in repetitive scripting for standardized components but expressed caution about overreliance on generated artifacts without sufficient review (22). They highlighted the importance of maintaining the ability to override or customize framework outputs for specific cases.

In initiatives where frameworks were integrated tightly with governance processes, such as security review and compliance checks, process complexity indicators evolved in nuanced ways. On one hand, the number of ad hoc review steps decreased because standard templates could be assessed once and reused. On the other hand, the introduction of centralized rule management required new coordination between platform teams and application teams when changes to the framework were necessary. This added a layer of organizational complexity, though it also provided a structured mechanism for addressing cross cutting concerns.

Overall, the empirical observations suggest that automated migration frameworks influence the structure rather than the existence of complexity and risk in modernization efforts. They tend to reduce certain types of repetitive manual tasks and make some aspects of risk more predictable by encoding patterns into rules and pipelines. At the same time, they introduce a new set of artifacts and coordination needs that must be managed carefully. The balance of these effects depends on the characteristics of the systems being migrated, the design of the framework, and the way it is integrated into existing processes (23).

6. Discussion: Impact on Complexity, Risk, and Organizational Practice

The observations summarized in the previous section provide a basis for discussing how automated migration frameworks affect complexity and risk at multiple levels. One way to interpret the findings is to distinguish between intrinsic complexity, which arises from the structure and behavior of legacy systems and target environments, and extrinsic complexity, which is associated with the processes, tools, and organizational arrangements used to manage modernization. Automated frameworks do not remove intrinsic complexity, but they can reshape extrinsic complexity by organizing how intrinsic complexity is discovered, represented, and acted upon.

In terms of process complexity, frameworks appear to transform a portion of manual, loosely structured tasks into more standardized activities. Automated discovery reduces the need for repeated manual inventory tasks, and standardized classification schemes provide a more uniform basis for planning.

This can reduce the number of distinct task types and coordination steps required for each application, especially in portfolios with many similar systems. However, the introduction of the framework itself adds setup and maintenance tasks, such as managing rule sets, aligning templates with evolving platform capabilities, and handling exceptions. These tasks are less frequent but often more specialized, requiring expertise in both legacy and target technologies as well as in the framework itself.

From a technical complexity perspective, frameworks provide structured representations of dependencies and technology usage, which can help teams reason about migration impacts (24). Automated analysis can highlight tightly coupled components, shared databases, and unusual integration patterns, enabling architects to make more informed decisions about sequencing and risk mitigation. Code transformation capabilities, where applicable, can reduce the manual effort required to apply certain changes across codebases. Nevertheless, these transformations are limited by the scope and correctness of the rules encoded in the framework. For systems that deviate from expected patterns, the value of automated analysis may be lower, and manual inspection remains necessary.

Operational risk is influenced by both the standardization that frameworks bring and the potential for systemic errors in automated pipelines. Standardized deployment and validation pipelines can reduce the likelihood of omissions and inconsistencies in configuration and testing, leading to lower rates of environment related incidents and more consistent handling of failures. At the same time, errors in frameworks or misconfigured parameters can propagate quickly across many systems, creating concentrated risk. The observations indicate that while such incidents do occur, the ability to update framework rules and apply corrections systematically can help limit long term impact, provided that monitoring and feedback loops are in place.

The interplay between automation and organizational practice is particularly important (25). Where frameworks are introduced as part of a broader evolution in delivery practices, including improvements in version control, automated testing, and monitoring, their impact on complexity and risk tends to be more positive. In contexts where underlying practices remain largely manual, frameworks may be perceived as external tools that add overhead without fully integrating into existing workflows. This suggests that the success of automated migration frameworks depends not only on technical design but also on how they are positioned within organizational processes and governance structures.

Another dimension of the discussion concerns the distribution of expertise. Automated frameworks encapsulate migration knowledge in rule sets and templates, which can help diffuse expertise beyond a small group of specialists. Less experienced teams can rely on predefined patterns and pipelines to carry out standard migrations, while experts focus on complex or exceptional cases. This can mitigate resource constraints in large programs. On the other hand, there is a risk that teams may become dependent on framework outputs without fully understanding underlying principles, which could limit their ability to adapt to novel situations. Maintaining a balance between leveraging encoded knowledge and fostering ongoing learning is therefore an important consideration (26).

The temporal aspects of framework adoption also influence perceived benefits. Early adoption phases often involve overlapping activities: teams must continue delivering migrations using existing methods while simultaneously configuring and validating the framework. This can create a temporary increase in workload and process complexity. Over time, as patterns stabilize and reusable components mature, the marginal cost of applying the framework to additional applications decreases. The observations suggest that organizations that account for this adoption curve in their planning and expectations are better positioned to realize stable benefits.

Limitations in the assessment should also be acknowledged. The initiatives considered in this paper vary in context, and the indicators used capture only part of the relevant factors. For example, the analysis does not quantify user satisfaction, long term maintainability of migrated systems, or the full economic costs associated with framework development and operation. Furthermore, the qualitative data relies on retrospective accounts that may be influenced by local narratives and perspectives (27). These limitations do not invalidate the observed patterns but indicate that the findings should be interpreted as indicative rather than definitive.

Finally, the discussion has implications for the design of automated migration frameworks themselves. The need for transparency in how analyses and transformations are applied suggests that frameworks should provide traceability from inputs to outputs, enabling users to understand and adjust decisions. The observed importance of context specific exceptions indicates that frameworks should support configurable rule scopes and override mechanisms rather than enforcing uniform behavior in all cases. The existence of systemic risk associated with automated pipelines underscores the value of staged rollouts, validation checkpoints, and monitoring to detect and address unintended effects early.

7. Conclusion

This paper has examined the impact of automated migration frameworks on complexity and risk in enterprise modernization efforts using an engineering oriented assessment approach. By defining indicators for process complexity, technical complexity, and operational risk, and by applying these indicators to observations from multiple modernization initiatives, the paper has explored how automation reshapes the structure of modernization work rather than eliminating complexity outright. The analysis suggests that automated discovery, analysis, and artifact generation can reduce certain categories of repetitive manual tasks and make some aspects of risk more predictable, particularly for applications that conform to common patterns captured in framework rules and templates.

At the same time, automated migration frameworks introduce their own forms of complexity and risk (28). They add a layer of artifacts that must be configured, maintained, and governed, and they can amplify the consequences of configuration

errors or rule misinterpretations when applied systematically through pipelines. The balance between reduced manual effort and added framework related complexity depends on factors such as the diversity of legacy systems, the maturity of surrounding delivery practices, and the way frameworks are integrated into organizational processes. Adoption tends to involve an initial period of increased workload as frameworks are established and aligned with existing governance structures, followed by potential efficiency gains as reusable components mature.

The discussion in this paper highlights that the effectiveness of automated migration frameworks is closely tied to transparency, configurability, and alignment with organizational practices. Frameworks that provide clear traceability, support context sensitive overrides, and integrate with established engineering workflows are better positioned to support modernization programs without introducing excessive additional complexity. Organizations considering or using such frameworks may therefore benefit from focusing not only on technical capabilities but also on how frameworks are governed, how expertise is distributed, and how feedback from modernization waves is used to refine rules and processes.

Future work could extend the assessment presented here by incorporating additional dimensions, such as cost metrics, long term maintainability indicators, and user experience measures, and by exploring more systematic comparisons across different types of frameworks and organizational contexts. Longitudinal studies that track modernization programs over multiple years could provide further insight into how the role of automation evolves as legacy portfolios change and as target platforms mature. While this paper does not claim comprehensive coverage of all aspects of modernization, it provides a structured perspective on the ways in which automated migration frameworks interact with complexity and risk, offering a basis for further investigation and informed decision making in enterprise settings (29).

References

[1] N. Rahman, *A Simulation Model for Application Development in Enterprise Data Platforms*, pp. 2873–2889. IGI Global Scientific Publishing, 1 2023.

[2] M. A. Sánchez, D. Rossit, and F. Tohmé, *A Digital Twin for Resilient Smart Manufacturing*, pp. 566–573. Springer Nature Switzerland, 7 2023.

[3] D. K. Papiernik, D. Nanda, R. O. Cassada, and W. H. Morris, "Data warehouse strategy to enable performance analysis," *Transportation Research Record: Journal of the Transportation Research Board*, vol. 1719, pp. 175–183, 1 2000.

[4] L. Cao and C. Zhu, "Table2vec-automated universal representation learning of enterprise data dna for benchmarkable and explainable enterprise data science.," *Scientific reports*, vol. 11, pp. 23957–, 12 2021.

[5] R. Paul, M. H. Imam, and A. J. Mou, "Ai-powered sentiment analysis in digital marketing: A review of customer feedback loops in it services," *American Journal of Scholarly Research and Innovation*, vol. 2, pp. 166–192, 9 2023.

[6] S. Mohammadi, S. Golara, and N. Mousavi, "Selecting adequate security mechanisms in e-business processes using fuzzy topsis," *International Journal of Fuzzy System Applications*, vol. 2, pp. 35–53, 1 2012.

[7] Y. Liu, Q. Li, and Z. Zhang, "Do smart cities restrict the carbon emission intensity of enterprises? evidence from a quasi-natural experiment in china," *Energies*, vol. 15, pp. 5527–5527, 7 2022.

[8] S. H. Kukkuhalli, "Accelerating migration of ab initio data pipelines to spark through end to end automation," *Journal of Engineering and Applied Sciences Technology*, 2023.

[9] G. Luo, B. L. Stone, C. Koebnick, S. He, D. H. Au, X. Sheng, M. A. Murtaugh, K. A. Sward, M. Schatz, R. S. Zeiger, G. H. Davidson, and F. L. Nkoy, "Using temporal features to provide data-driven clinical early warnings for chronic obstructive pulmonary disease and asthma care management: Protocol for a secondary analysis," *JMIR research protocols*, vol. 8, pp. e13783–, 6 2019.

[10] S. Pratiwi, M. R. Pellokila, and M. M. Kapa, "Analisis nilai tambah pada usaha agroindustri virgin coconut oil (vco)," *Buletin Ilmiah IMPAS*, vol. 24, pp. 104–111, 9 2023.

[11] B. Foss, I. Henderson, P. Johnson, D. Murray, and M. Stone, "Managing the quality and completeness of customer data," *Journal of Database Marketing & Customer Strategy Management*, vol. 10, pp. 139–158, 12 2002.

[12] E. Chytilová and M. Jurová, "The application of method suppliers' complex evaluation. case study.," *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, vol. 60, pp. 139–146, 7 2013.

[13] A. Muley and M. Gudadhe, *Clustering-Based Aggregation of High-Utility Patterns from Unknown Multi-database*, vol. 34, pp. 29–43. Germany: Springer Berlin Heidelberg, 8 2019.

[14] S. Bogarapu, N. M. Pinto, S. P. Etheridge, X. Sheng, K. Liesemer, P. C. Young, and E. V. Saarel, "Screening for congenital heart disease in infants with down syndrome: Is universal echocardiography necessary?," *Pediatric cardiology*, vol. 37, pp. 1222–1227, 6 2016.

[15] D. Sarpong and C. Davies, "Managerial organizing practices and legitimacy seeking in social enterprises," *Social Enterprise Journal*, vol. 10, pp. 21–37, 4 2014.

[16] F. Tao, B. Zhao, A. Fuxman, Y. Li, and J. Han, "Www - leveraging pattern semantics for extracting entities in enterprises," *Proceedings of the ... International World-Wide Web Conference. International WWW Conference*, vol. 2015, pp. 1078–1088, 5 2015.

[17] H. Yulianto, "Performance analysis of startup entrepreneurs programs," *AkMen JURNAL ILMIAH*, vol. 16, pp. 483–492, 12 2019.

[18] null Maheshbhai K Kansara, "Enterprise playbook: Validating billions of rows safely into redshift - design patterns and anti-patterns," *International Journal of Advanced Research in Science, Communication and Technology*, pp. 648–664, 10 2023.

[19] A. Weinzettel, "Aufbau und wirtschaftlichkeit eines enterprise data warehouse: Erfahrungen aus einem business-intelligence-projekt des landes hessen," *Innovative Verwaltung*, vol. 32, pp. 30–33, 12 2010.

[20] Z. Worku, "Analysis of the perception of small businesses on the quality of routine municipal services inthe city of tshwane, south africa," *Journal of Applied Business Research (JABR)*, vol. 33, pp. 247–256, 3 2017.

[21] N. C. Hai, H. N. Chuong, and T. Trung, "Linkages and development of local industrial space: Research in the key economic region of southern vietnam," *Cogent Economics & Finance*, vol. 10, 8 2022.

[22] A. Alghassi, *Generalized Anomaly Detection Algorithm Based on Time Series Statistical Features*, pp. 177–200. United States: Springer International Publishing, 4 2021.

[23] B. Waweru and J. Karihe, "Effect of customer relationship management strategies on performance of medium enterprises," *Journal of Business and Strategic Management*, vol. 6, pp. 63–83, 9 2021.

[24] F. Duan, "Evaluation of enterprise accounting data management based on maturity model," *Applied Mathematics and Nonlinear Sciences*, vol. 8, pp. 1289–1302, 5 2023.

[25] N. Valeti and V. C. Sharmila, "Optimizing cloud health care data transmissions using fog," *Journal of Physics: Conference Series*, vol. 1228, pp. 012008–, 5 2019.

[26] Z. Worku, "The impact of poor quality municipal services on small enterprises," *Investment Management and Financial Innovations*, vol. 13, pp. 274–279, 9 2016.

[27] J. P. Gu, C.-L. Tsai, N. G. Wysham, and Y.-C. T. Huang, "Chronic hypersensitivity pneumonitis in the southeastern united states: an assessment of how clinicians reached the diagnosis," *BMC pulmonary medicine*, vol. 20, pp. 32–32, 2 2020.

[28] S. Soontornchai, "A survey on chemical use among household community product enterprises producing cosmetics and hazardous substances in nonthaburi province, thailand," *The Educational Review, USA*, vol. 2, 6 2018.

[29] E. B. Lamont, S. Diamond, R. G. Katriel, J. Lui, L. Ensign, and C. Alexander, "Abstract po-088: Covid-19 pandemic slows launch of oncology clinical trials," *Clinical Cancer Research*, vol. 26, pp. PO–88–PO–088, 9 2020.